

ADC	Apparent diffusion coefficient
ANOVA	Analysis of variance
ASL	Arterial Spin Labelling
AUC	Area under the curve
BiRADS	Breast Imaging Reporting and Data System
BOLD	Blood oxygen level dependent
CEUS	Contrast-enhanced ultrasound
CNS	Central nervous system
CSF	Cerebrospinal fluid
CT	Computed tomography
CTA	Computed tomography angiography
DCE-MRI	Dynamic contrast-enhanced MRI
DTI	Diffusion Tensor Imaging
DWI	Diffusion-weighted imaging
FDG	Fluorodesoxyglucose
fMRI	Functional MRI
HCC	Hepatocellular carcinoma
HIV	Human immunodeficiency virus
HU	Hounsfield unit
IVIM	Intravoxel incoherent motion
LiRADS	Liver Imaging Reporting and Data System
MDCT	Multidetector computed tomography
MR, MRI	Magnetic resonance imaging
MRCP	Magnetic resonance cholangiopancreatography
NPV	Negative predictive value
PET	Positron-emission tomography
PET-CT	Positron-emission tomography-computed tomography
PET-MR (or MR-PET)	Positron-emission tomography-magnetic resonance imaging
PiRADS	Prostate Imaging Reporting and Data System
PPV	Positive predictive value
RECIST and derivatives	Response Evaluation Criteria In Solid Tumors
ROC	Receiver-Operating-Characteristic
ROI	Region of Interest
SPECT	Single-photon emission computed tomography
SWI	Susceptibility weighted imaging
TACE	Transarterial Chemoembolisation
TIRADS	Thyroid Imaging Reporting and Data System
US	Ultrasonography